Author Index

Achilli, G., see Rizzo, V. 536(1991)229
Adusumalli, V. E., see Segelman, A. B. 535(1990)287
Aguilar, M. I., see Wilce, M. C. J. 536(1991)165
Allen, J. L. and Meinertz, J. R.
Post-column reaction for simultaneous analysis of chromatic and leuco forms of malachite green and crystal violet by high-performance liquid chromatography with photometric detection 536(1991)217
Amaglio, C., see Brega, A. 535(1990)311
Araki, T., see Tanaka, N. 535(1990)13
Arrigoni Martelli, E., see Marzo, A. 535(1990)255
Arrigoni Martelli, E., see Marzo, A. 536(1991)327
Aune, O., see Ellingsen, T. 535(1990)147
Bao, Z. and Yang, S. K.
Liquid chromatographic separation of isomeric phenanthrols on monomeric and polymeric C_{18} columns 536(1991)245
Barr, S. W., see Skelly, N. E. 535(1990)199
Bartha, Å. and Ståhlberg, J.
Retention prediction based on the electrostatic model of reversed-phase ion-pair high-performance liquid chromatography: effect of pairing ion concentration 535(1990)181
Beach, R. E., see Gayden, R. H. 536(1991)265
Bell-Alden, B., see Phillips, D. J. 536(1991)95
Belliardo, F. and Lucarelli, C.
Micro-scale liquid chromatographic method for the determination of bamifylline and its major metabolite in human plasma 535(1990)305
Benedict, C. R., see Gayden, R. H. 536(1991)265
Bentrop, D., Warren, Jr., F. V., Schmitz, S. and Bidlingmeyer, B. A.
Analysis of carbamazepine in serum by liquid chromatography with direct sample injection and surfactant-containing eluents 535(1990)293
Berdichevsky, A. L. and Neue, U. D.
Nature of the eddy dispersion in packed beds 535(1990)189
Bidlingmeyer, B. A., see Bentrop, D. 535(1990)293
Bonn, G. K., see Wongyai, S. 536(1991)155
Borger, F. R., see Munera, M. E. 536(1991)123
Brega, A., Prandini, P., Amaglio, C. and Pafumi, E.
Determination of phenol, *m*-, *o*- and *p*-cresol, *p*-aminophenol and *p*-nitrophenol in urine by high-performance liquid chromatography 535(1990)311
Browne, T. R., see Szabo, G. K. 535(1990)271
Browne, T. R., see Szabo, G. K. 535(1990)279
Bruno, G., see Marzo, A. 535(1990)255
Bruno, G., see Marzo, A. 536(1991)327
Bruns, A.
Applications of preparative high-performance liquid chromatography in oleochemical research 536(1991)75
Castledine, J. B., see Fell, A. F. 535(1990)33
Cava, M., see Phillips, D. J. 536(1991)95
Celebuski, J. E., see Morgan, R. L. 536(1991)85
Cellerino, G. P., see Rizzo, V. 536(1991)229
Chamkasem, N., Hill, K. D. and Sewell, G. W.
Use of ion-exclusion chromatography for monitoring fatty acids produced by bacterial anaerobic degradation of tetrachloroethene in ground water 536(1991)193
Chiavari, G., see Galletti, G. C. 536(1991)303
Codini, M., Palmerini, C. A., Fini, C., Lucarelli, C. and Floridi, A.
High-performance liquid chromatographic method for the determination of prolyl peptides in urine 536(1991)337
Cordis, G. A. and Das, D. K.
High-performance liquid chromatographic detection of myocardial prostaglandins and thromboxanes 536(1991)309
Cordis, G. A., see Das, D. K. 536(1991)273
Cotter, R. J., see Simpson, R. C. 536(1991)143
Dalla Libera, L.
Determination of 3-methylhistidine in hydrolysed proteins by fluorescamine derivatization and high-performance liquid chromatography 536(1991)283
Das, D. K., Cordis, G. A., Rao, P. S., Liu, X. and Maity, S.
High-performance liquid chromatographic detection of hydroxylated benzoic acids as an indirect measure of hydroxyl radical in heart: its possible link with the myocardial reperfusion injury 536(1991)273
Das, D. K., see Cordis, G. A. 536(1991)309
Davoudi, H., see Szabo, G. K. 535(1990)279

D'Eril, G. M., see Rizzo, V. 229
Dion, D. M., O'Connor, K., Phillips, D., Vella, G. J. and Warren, W.
New family of high-resolution ion exchangers for protein and nucleic acid purifications from laboratory to process scales 535(1990)127
Dolan, J. W., Lommen, D. C. and Snyder, L. R.
High-performance liquid chromatographic computer simulation based on a restricted multi-parameter approach. I. Theory and verification 535(1990)55
Dolan, J. W., see Snyder, L. R. 535(1990)75
Dutta, I., Dutta, P. K., Smith, D. W. and O'Donovan, G. A.
High-performance liquid chromatography of deoxyribonucleoside di- and triphosphates in tomato roots 536(1991)237
Dutta, P. K., see Dutta, I. 536(1991)237
Dutta, P. K., Hammons, K., Willibey, B. and Haney, M. A.
Analysis of protein denaturation by high-performance continuous differential viscometry 536(1991)113
Eickhoff, W. M., Liversidge, G. G. and Mutharasan, R.
Liquid chromatographic analysis of a potential polymeric-pendant drug delivery system for peptides. Application of high-performance size-exclusion chromatography, reversed-phase high-performance liquid chromatography and ion chromatography to the evaluation of biodegradable poly-[(chloromethoxytrialanine methyl ester) phosphazenes] 536(1991)255
El Rassi, Z., see Nashabeh, W. 536(1991)31
Ellingsen, T., Aune, O., Ugelstad, J. and Hagen, S.
Monosized stationary phases for chromatography 535(1990)147
Emary, W. B., see Simpson, R. C. 536(1991)143
Engelhardt, H., Klinkner, R. and Schöndorf, G.
Post-column reaction detection and flow injection analysis 535(1990)41
Engelke, B. F., see Lydon, J. 536(1991)223
Ettre, L. S.
Key moments in the evolution of liquid chromatography 535(1990)3
Fell, A. F., Castledine, J. B., Sellberg, B., Modin, R. and Weinberger, R.
Post-column continuous-flow analysis combined with reversed-phase liquid chromatography and computer-aided detection for the characterisation of peptides 535(1990)33
Fenselau, C. C., see Simpson, R. C. 536(1991)143
Fiedler, H.-P. and Wachter, J.
High-performance liquid chromatographic determination of bleomycins 536(1991)343
Fini, C., see Codini, M. 536(1991)337
Flanigan, E., see Munera, M. E. 536(1991)123
Floridi, A., see Codini, M. 536(1991)337
Ford, S. H., Nichols, A. and Gallery, J. M.
Separation and study of corrinoid cobalt-ligand isomers by high-performance liquid chromatography 536(1991)185
Fornstedt, T., Westerlund, D. and Sokolowski, A.
Studies on system peaks in ion-pair adsorption chromatography. IV. Optimization of peak compression 535(1990)93
Gallery, J. M., see Ford, S. H. 536(1991)185
Galletti, G. C. and Chiavari, G.
Size-exclusion chromatography of lignocellulosics in wheat straw 536(1991)303
Gastaldo, L., see Zanol, M. 536(1991)211
Gayden, R. H., Watts, III, B. A., Beach, R. E. and Benedict, C. R.
Quantitation of adenosine, inosine and hypoxanthine in biological samples by microbore-column isocratic high-performance liquid chromatography 536(1991)265
Golshan-Shirazi, S. and Guiochon, G.
Optimization of experimental conditions in preparative liquid chromatography. Trade-offs between recovery yield and production rate 536(1991)57
Grossi, F., see Segatti, M. P. 536(1991)319
Grover, E. R., see Phillips, D. J. 536(1991)95
Guiochon, G., see Golshan-Shirazi, S. 536(1991)57
Hagen, S., see Ellingsen, T. 535(1990)147
Haginaka, J., Wakai, J. and Yasuda, H.
Synthesis of mixed-functional-phase silica supports for liquid chromatography and their applications to assays of drugs in serum 535(1990)163
Hammons, K., see Dutta, P. K. 536(1991)113
Haney, M. A., see Dutta, P. K. 536(1991)113
Hearn, M. T. W., see Wilce, M. C. J. 536(1991)165
Helling, C. S., see Lydon, J. 536(1991)223
Hill, K. D., see Chamkasem, N. 536(1991)193
Homann, M. J., see Vail, R. B. 535(1990)317
Hosoya, K., see Tanaka, N. 535(1990)13
Huang, S. S.
Evaluation of chemical structural heterogeneity of cationic acrylamide copolymers by high-performance liquid chromatography 536(1991)203

Hutchens, T. W. and Yip, T.-T.
Metal ligand-induced alterations in the surface structures of lactoferrin and transferrin probed by interaction with immobilized copper(II) ions 536(1991)1
Karger, B. L., see Lin, S. 536(1991)17
Kimata, K., see Tanaka, N. 535(1990)13
Kira, R., see Ôi, N. 535(1990)213
Kitahara, H., see Ôi, N. 535(1990)213
Klinkner, R., see Engelhardt, H. 535(1990)41
Leclerc, J.-M., see Lin, K. T. 536(1991)349
Lefebvre, M. A., see Marzo, A. 536(1991)327
Lin, K. T., Varin, F., Rivard, G. E. and Leclerc, J.-M.
Isolation of 6-mercaptopurine in human plasma by aluminum ion complexation for high-performance liquid chromatographic analysis 536(1991)349
Lin, S., Oroszlan, P. and Karger, B. L.
Effect of metal ions on the unfolding kinetics of α-lactalbumin on weakly hydrophobic surfaces 536(1991)17
Linde, S. and Welinder, B. S.
Non-ideal behaviour of silica-based stationary phases in trifluoroacetic acid–acetonitrile-based reversed-phase high-performance liquid chromatographic separations of insulins and proinsulins 536(1991)43
Liu, X., see Das, D. K. 536(1991)273
Liversidge, G. G., see Eickhoff, W. M. 536(1991)255
Lommen, D. C., see Dolan, J. W. 535(1990)55
Lommen, D. C., see Snyder, L. R. 535(1990)75
Long, D. A., see Mayer, W. J. 536(1991)131
Lu, X.-L. and Yang, S. K.
Resolution of enantiomeric lorazepam and its acyl and O-methyl derivatives and racemization kinetics of lorazepam enantiomers 535(1990)229
Lucarelli, C., see Belliardo, F. 535(1990)305
Lucarelli, C., see Codini, M. 536(1991)337
Lucarelli, C., see Segatti, M. P. 536(1991)319
Lydon, J., Engelke, B. F. and Helling, C. S.
Simplified high-performance liquid chromatography method for the simultaneous analysis of tebuthiuron and hexazinone 536(1991)223
Lys, I., see Simpson, R. C. 536(1991)143
Maity, S., see Das, D. K. 536(1991)273
Mandeville, W. H., see Phillips, D. J. 536(1991)95
Mangiarotti, M., see Segatti, M. P. 536(1991)319
Martinelli, E. M., see Marzo, A. 535(1990)255
Marzo, A., Arrigoni Martelli, E., Bruno, G., Martinelli, E. M. and Pifferi, G.
Assay of hydroxyfarrerol in biological fluids 535(1990)255
Marzo, A., Arrigoni Martelli, E., Bruno, G., Nava, D., Mignot, A., Vidal, R. and Lefebvre, M. A.
High-performance liquid chromatographic evaluation of 2-(α-thenoylthio)-propionylglycine and its two metabolites in biological fluids 536(1991)327
Mastico, R., see Phillips, D. J. 536(1991)95
Mayer, W. J., Long, D. A. and Parikh, D. K.
Phosphate-gradient high-performance liquid chromatographic method for the analysis of synthetic salmon calcitonin 536(1991)131
Meinertz, J. R., see Allen, J. L. 536(1991)217
Mignot, A., see Marzo, A. 536(1991)327
Mikawa, Y., see Tanaka, N. 535(1990)13
Modin, R., see Fell, A. F. 535(1990)33
Morgan, R. L. and Celebuski, J. E.
Large-scale purification of haptenated oligonucleotides using high-performance liquid chromatography 536(1991)85
Müller, G., see Trüdinger, U. 535(1990)111
Munera, M. E., Borger, F. R., Flanigan, E. and Parikh, D. K.
Cation-exchange high-performance liquid chromatography of synthetic salmon calcitonin 536(1991)123
Mutharasan, R., see Eickhoff, W. M. 536(1991)255
Nakazato, K., see Suzuki, K. 535(1990)173
Nashabeh, W. and El Rassi, Z.
Capillary zone electrophoresis of α_1-acid glycoprotein fragments from trypsin and endoglycosidase digestions 536(1991)31
Nava, D., see Marzo, A. 536(1991)327
Neue, U. D., see Berdichevsky, A. L. 535(1990)189
Nichols, A., see Ford, S. H. 536(1991)185
Nisi, G., see Segatti, M. P. 536(1991)319
O'Connor, K., see Dion, D. M. 535(1990)127
O'Donovan, G. A., see Dutta, I. 536(1991)237
Ohtsu, Y., see Tanaka, N. 535(1990)13
Ôi, N., Kitahara, H. and Kira, R.
Elution orders in the separation of enantiomers by high-performance liquid chromatography with some chiral stationary phases 535(1990)213
Oroszlan, P., see Lin, S. 536(1991)17
Pafumi, E., see Brega, A. 535(1990)311
Palmerini, C. A., see Codini, M. 536(1991)337
Parikh, D. K., see Mayer, W. J. 536(1991)131
Parikh, D. K., see Munera, M. E. 536(1991)123

Patel, H. B., Stobaugh, J. F. and Riley, C. M.
Reversed-phase ion-pair liquid chromatography of the angiotensins 536(1991)357
Perchalski, R. J., see Szabo, G. K. 535(1990)271
Pessa, E., see Suortti, T. 536(1991)251
Phillips, D., see Dion, D. M. 535(1990)127
Phillips, D. J., Bell-Alden, B., Cava, M., Grover, E. R., Mandeville, W. H., Mastico, R., Sawlivich, W., Vella, G. and Weston, A.
Purification of proteins on an epoxy-activated support by high-performance affinity chromatography 536(1991)95
Pifferi, G., see Marzo, A. 535(1990)255
Prandini, P., see Brega, A. 535(1990)311
Pylilo, R. J., see Szabo, G. K. 535(1990)271
Pylilo, R. J., see Szabo, G. K. 535(1990)279
Rao, P. S., see Das, D. K. 536(1991)273
Rao, P. S., Weinstein, G. S., Wilson, D. W., Rujikarn, N. and Tyras, D. H.
Isocratic high-performance liquid chromatography–photodiode-array detection method for determination of lysine- and arginine-vasopressins and oxytocin in biological samples 536(1991)137
Renn, C. N. and Synovec, R. E.
Refractive index gradient detection of biopolymers separated by high-temperature liquid chromatography 536(1991)289
Riley, C. M., see Patel, H. B. 536(1991)357
Rivard, G. E., see Lin, K. T. 536(1991)349
Rizzo, V., D'Eril, G. M., Achilli, G. and Cellerino, G. P.
Determination of neurochemicals in biological fluids by using an automated high-performance liquid chromatographic system with a coulometric array detector 536(1991)229
Rudolph, M., Volk, D. and Schmiedel, G.
Determination of saterinone enantiomers in plasma samples with an internal standard using a Chiralcel OD column. Fractionation and reversed-phase chromatography 535(1990)263
Rujikarn, N., see Rao, P. S. 536(1991)137
Sawlivich, W., see Phillips, D. J. 536(1991)95
Schmiedel, G., see Rudolph, M. 535(1990)263
Schmitz, S., see Bentrop, D. 535(1990)293
Schöndorf, G., see Engelhardt, H. 535(1990)41
Segatti, M. P., Nisi, G., Grossi, F., Mangiarotti, M. and Lucarelli, C.
Rapid and simple high-performance liquid chromatographic determination of tricyclic antidepressants for routine and emergency serum analysis 536(1991)319
Segelman, A. B., Adusumalli, V. E. and Segelman, F. H.
Automated liquid chromatographic determination of ranitidine in microliter samples of rat plasma 535(1990)287
Segelman, F. H., see Segelman, A. B. 535(1990)287
Sellberg, B., see Fell, A. F. 535(1990)33
Sewell, G. W., see Chamkasem, N. 536(1991)193
Shan, Z. L., Xiao, H. and Zhu, P. L.
Measurement of limiting ionic equivalent conductance by single-column ion chromatography 535(1990)207
Shiojima, Y., see Tanaka, N. 535(1990)13
Simpson, R. C., Emary, W. B., Lys, I., Cotter, R. J. and Fenselau, C. C.
High-performance liquid chromatography–time-of-flight mass spectrometry and its application to peptide analyses 536(1991)143
Skelly, N. E., Barr, S. W. and Zelinko, A. P.
Computer assisted internal standard selection for reversed-phase liquid chromatography 535(1990)199
Smith, D. W., see Dutta, I. 536(1991)237
Snyder, L. R., Dolan, J. W. and Lommen, D. C.
High-performance liquid chromatographic computer simulation based on a restricted multi-parameter approach. II. Applications 535(1990)75
Snyder, L. R., see Dolan, J. W. 535(1990)55
Sokolowski, A., see Fornstedt, T. 535(1990)93
Ståhlberg, J., see Bartha, Á. 535(1990)181
Stobaugh, J. F., see Patel, H. B. 536(1991)357
Suortti, T. and Pessa, E.
Gel permeation chromatographic determination of starches using alkaline eluents 536(1991)251
Suzuki, K. and Nakazato, K.
Effect of composition of polyacrylamide gels on exclusion limits 535(1990)173
Synovec, R. E., see Renn, C. N. 536(1991)289
Szabo, G. K., Pylilo, R. J., Davoudi, H. and Browne, T. R.
Simultaneous determination of *p*-hydroxylated and dihydrodiol metabolites of phenytoin in urine by high-performance liquid chromatography 535(1990)279
Szabo, G. K., Pylilo, R. J., Perchalski, R. J. and Browne, T. R.
Simultaneous separation and determination (in serum) of phenytoin and carbamazepine and their deuterated analogues by high-performance liquid chromatography–ultraviolet detection for tracer studies 535(1990)271

Tanaka, N., Kimata, K., Mikawa, Y., Hosoya, K., Araki, T., Ohtsu, Y., Shiojima, Y., Tsuboi, R. and Tsuchiya, H.
Performance of wide-pore silica- and polymer-based packing materials in polypeptide separation: effect of pore size and alkyl chain length 535(1990)13
Thomas, R. L., see Wang, H. J. 536(1991)107
Trüdinger, U., Müller, G. and Unger, K. K.
Porous zirconia and titania as packing materials for high-performance liquid chromatography 535(1990)111
Tsuboi, R., see Tanaka, N. 535(1990)13
Tsuchiya, H., see Tanaka, N. 535(1990)13
Tyras, D. H., see Rao, P. S. 536(1991)137
Ugelstad, J., see Ellingsen, T. 535(1990)147
Unger, K. K., see Trüdinger, U. 535(1990)111
Vail, R. B. and Homann, M. J.
Rapid and sensitive detection of citrinin production during fungal fermentation using high-performance liquid chromatography 535(1990)317
Varga, J. M., see Wongyai, S. 536(1991)155
Varin, F., see Lin, K. T. 536(1991)349
Vella, G. J., see Dion, D. M. 535(1990)127
Vella, G. J., see Phillips, D. J. 536(1991)95
Vidal, R., see Marzo, A. 536(1991)327
Volk, D., see Rudolph, M. 535(1990)263
Wachter, J., see Fiedler, H.-P. 536(1991)343
Wakai, J., see Haginaka, J. 535(1990)163
Wang, H. J. and Thomas, R. L.
High-performance liquid chromatography for the assessment of glucoamylase, immobilized on metallic membranes 536(1991)107
Warren, Jr., F. V., see Bentrop, D. 535(1990)293
Warren, W., see Dion, D. M. 535(1990)127
Watts, III, B. A., see Gayden, R. H. 536(1991)265
Weems, H. B. and Yang, S. K.
Resolution of enantiomeric triols, triol-hydroxyethylthioethers, and methoxy-triols derived from three benzo[*a*]pyrene diol-epoxides by chiral stationary phase high-performance liquid chromatography 535(1990)239
Weinberger, R., see Fell, A. F. 535(1990)33
Weinstein, G. S., see Rao, P. S. 536(1991)137
Welinder, B. S., see Linde, S. 536(1991)43
Westerlund, D., see Fornstedt, T. 535(1990)93
Weston, A., see Phillips, D. J. 536(1991)95
Wilce, M. C. J., Aguilar, M. I. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CVII. Analysis of group retention contributions for peptides separated with a range of mobile and stationary phases by reversed-phase high-performance liquid chromatography 536(1991)165
Willibey, B., see Dutta, P. K. 536(1991)113
Wilson, D. W., see Rao, P. S. 536(1991)137
Wongyai, S., Varga, J. M. and Bonn, G. K.
High-performance affinity chromatography of immunoglobulin E on a column of dinitrophenylamino acids covalently bound to a highly cross-linked polymeric micropellicular support 536(1991)155
Xiao, H., see Shan, Z. L. 535(1990)207
Yang, S. K., see Bao, Z. 536(1991)245
Yang, S. K., see Lu, X.-L. 535(1990)229
Yang, S. K., see Weems, H. B. 535(1990)239
Yasuda, H., see Haginaka, J. 535(1990)163
Yip, T.-T., see Hutchens, T. W. 536(1991)1
Zanol, M. and Gastaldo, L.
High-performance liquid chromatographic separation of the three stereoisomers of diaminopimelic acid in hydrolysed bacterial cells 536(1991)211
Zelinko, A. P., see Skelly, N. E. 535(1990)199
Zhu, P. L., see Shan, Z. L. 535(1990)207